JOB NO:	PROJECT:		CUSTOMER:
			ANCHOR BOLTS
PRODUCT SPE	<u> -CIFICATIONS:</u>		AS REQ'D.— SUPPLIED BY
5000 P.S.I. CONC			CONTRACTOR
WEIGHT/LINEAR FT	. = 5/6 lbs/FI.		BOLT CIRCLE
Signature:	PV PV		AS REQUIRED
Date:			1" CHAMFER
,		i ji	
		!!!!///	
		Υ III	
			VARIES
(0			
VARIES			
₹	A \ \	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	<u></u>
		\downarrow \downarrow \searrow	
	#3 @ 12"	'	
		1/1)/	CAST IN
	#5 @ 6"————		CONDUIT-
		1 / / /	SUPPLIED BY CONTRACTOR
,			CONTRACTOR
POLE BASE	DETAII S		
*1 Bolt Circle Diam.=		\forall	60.
*2 Bolt Projection=	inches		24" SQ.
*3 Bolt Diameter=	inches		#5 @ 6"
*4 # of Conduits=			
*5 Conduits Layout=	*Sketch conduit orientation in plan view*		
*6 Conduit Length=	inches		
*7 PVC Diameter=	inches		
* Information MUST be provided NOTES:	prior to tadrication of dases		
1.0 THIS POLE BASE IS DE METAL LIGHT POLES. IT			
RESPONSIBILITY TO DET	ERMINE WHICH LIGHT RTED BY THIS POLE BASE.		4
2.0 THE ENGINEER WILL DE			
OF THE BOLTS, BOLT CIF BOLT PROJECTION.	RCLE DIAMETER, AND THE	#3 @ 12" /	
** Customer is respons		<u>πο ⊌ 12</u> /	
QUANTITY OF SUPPLIED MA 3.0 CONDUIT FOR WIRING AN			VIEW A—A
CAN BE CAST IN THE I	DOLE DACE AC	QUARE ANCHOR I	BASE
REQUIRED.	> ± 0'	40:1111 1111011011 1	

